


# APR™ 550

CAMS™ APR™ 550 is the compact complete plant which combines the features of an efficient shredder shredders, an iron separator and a screening unit in a single tracked machine. Thanks to the innovative patented technology, it is perfect solution to recycle asphalt with the lowest fuel consumption, running costs and environmental impact.



## HYBRID DRIVE

APR™550 can operate in full electric mode for **zero emission** (without Diesel engine)

## FEATURES

- Built-in specific shredding programs depending on the type of material
- Ability to process wet material
- One diesel-electric engine for four pieces of equipment
- Low fuel consumption
- Compact transport dimension
- Low wearing
- Ability to provide electrical power on site
- Low dust and acoustic emissions
- Recovers 100% of RAP

## OPTIONS

- Hydraulic hopper extensions
- Patented hydraulic pusher system
- GPS
- Electrical weighing system
- Electrical fuel pump
- Electrical grease pump

### 1 Hopper

Capacity: 4 yds<sup>3</sup>  
Length: 9' 10"  
Width: 6' 7"

### 2 Primary shredder

Type: SC160  
Feed opening: 3' 3" x 2' 11"

### 3 Oversize conveyor

Width: 1' 8"

### 4 Main conveyor

Width: 2' 7"

### 5 Finesize conveyor

Width: 2' 11"

### 6 Midsize conveyor

Width: 1' 8"

### 7 Screen

Type: ES400  
Deck surface: 10' 6" x 3' 3"  
Decks number: 2

### Hybrid Power Unit

- 8 Engine: CAT C4.4 Tier 4 190 hp  
Alternator: MeccAlte 135 kVA  
Fuel tank capacity: 45 US gal

### Output potential

130 US ton/h

APR™ 550	Transport	Working
Length	36' 9"	42' 8"
Height	10' 2"	10' 6"
Width	8' 4"	29' 6"
Weight	54,000 lbs	