

THE FUTURE OF PAVING,  
BUILD GREEN ROADS



**ELECTRIC SCREEN**



EXTENDED RANGE

ES

Electric Screen

## FEATURES

- Ability to process wet material
- Compact transport dimension
- Low wearing
- Low dust and acoustic emissions
- Recovers 100% of RAP

## OPTIONS

- Feeding hopper
- GPS
- Electrical weighing system
- Electrical grease pump



Electric power

# ELECTRIC SCREEN SERIES

CAMS™ ES is a range of versatile screening units driven by a three dimensional vibrating technology ensuring the highest efficiency level in material sorting.

## ES300



### Screen

Type: ES300  
Deck surface: 8' 2" x 3' 3"  
Decks number: 2

### Electric drive

Power: 25 kW

### Oversize conveyor

Width: 1' 8"  
Length: 26' 3"


### Midsize conveyor

Width: 1' 8"  
Length: 26' 3"

### Finesize conveyor

Width: 2' 7"  
Length: 26' 3"

## ES500



### Screen

Type: ES500  
Deck surface: 11' 6" x 3' 11"  
Decks number: 2

### Electric drive

Power: 32 kW

### Oversize conveyor

Width: 1' 8"  
Length: 26' 3"

### Midsize conveyor

Width: 1' 8"  
Length: 26' 3"

### Finesize conveyor

Width: 2' 7"  
Length: 26' 3"

# ES700



## Screen

Type: ES700

Deck surface: 14' 1" x 4' 3"

Decks number: 2

## Electric drive

Power: 40 kW

## Main conveyor

Width: 2' 7"

Length: 26' 3"

## Midsized conveyor

Width: 2' 7"

Length: 26' 3"

## Finesize conveyor

Width: 2' 7"

Length: 26' 3"

# ES900



## Screen

Type: ES900

Deck surface: 17' 5" x 4' 3"

Decks number: 2

## Electric drive

Power: 45 kW

## Main conveyor

Width: 2' 7"

Length: 26' 3"

## Midsized conveyor

Width: 2' 7"

Length: 26' 3"

## Finesize conveyor

Width: 3' 3"

Length: 26' 3"

**CREATING SUSTAINABLE TECHNOLOGIES  
TO GIVE RECLAIMED ASPHALT A SECOND LIFE**

**CAMSAMERICA**

**CAMSAMERICA, Corp.**

18 Bridge Street, Office 2A, Brooklin, NY 11201

Mobile Phone: +1-929-570-8437 | +1-929-570-8431

e-mail: [info@camsrecycling.com](mailto:info@camsrecycling.com) | web: [camsrecycling.com](http://camsrecycling.com)