

THE FUTURE OF PAVING,  
BUILD GREEN ROADS



SHREDDER CORE



EXTENDED RANGE

SC

Shredder Core

## FEATURES

- Built in specific shredding programs depending on the type of material
- Ability to process wet material
- Compact transport dimension
- Low wearing
- Electric drive
- Low dust and acoustic emissions

## OPTIONS

- Hydraulic fingers
- GPS
- Hydraulic output size adjustment
- Electrical grease pump
- Wide range of electric motors




Electric power



# SHREDDER CORE SERIES

CAMS™ SC RANGE is designed and manufactured in compact size. Powered by electric energy, it reaches the highest outputs without fuel consumption. Thanks to the low rotating speed of the shredding shafts, it produces low dust and acoustic emissions.



## SC 120

### Dimensions

Length: 8' 2"

Height: 3' 5"

Width: 8' 3"

### Output potential

90 US ton/h

## SC 160

### Dimensions

Length: 10' 8"

Height: 3' 5"

Width: 8' 3"

### Output potential

130 US ton/h

## SC 200

### Dimensions

Length: 11' 8"

Height: 3' 5"

Width: 8' 3"

### Output potential

200 US ton/h

## SC 260

### Dimensions

Length: 12' 8"

Height: 3' 5"

Width: 8' 3"

### Output potential

280 US ton/h

An aerial photograph of a road with a large, dense green tree on the left side. The road has white dashed lines and a solid white line on the right. The background is a mix of green foliage and dark asphalt.

**CREATING SUSTAINABLE TECHNOLOGIES  
TO GIVE RECLAIMED ASPHALT A SECOND LIFE**

**CAMSAMERICA**

**CAMSAMERICA, Corp.**

18 Bridge Street, Office 2A, Brooklin, NY 11201

Mobile Phone: +1-929-570-8437 | +1-929-570-8431

e-mail: [info@camsrecycling.com](mailto:info@camsrecycling.com) | web: [camsrecycling.com](http://camsrecycling.com)