

THE FUTURE OF PAVING,
BUILD GREEN ROADS



SHREDDER CORE

EXTENDED RANGE

SC

Shredder Core

FEATURES

- Built in specific shredding programs depending on the type of material
- Ability to process wet material
- Compact transport dimension
- Low wearing
- Electric drive
- Low dust and acoustic emissions

OPTIONS


- Hydraulic fingers
- GPS
- Hydraulic output size adjustment
- Electrical grease pump
- Wide range of electric motors



Electric power

SHREDDER CORE SERIES

CAMS™ SC RANGE is designed and manufactured in compact size. Powered by electric energy, it reaches the highest outputs without fuel consumption. Thanks to the low rotating speed of the shredding shafts, it produces low dust and acoustic emissions.



SC120

Dimensions

Length: 8' 2"

Height: 3' 5"

Width: 8' 3"

Output potential

90 US ton/h

SC160

Dimensions

Length: 10' 8"

Height: 3' 5"

Width: 8' 3"

Output potential

130 US ton/h

SC200

Dimensions

Length: 11' 8"

Height: 3' 5"

Width: 8' 3"

Output potential

200 US ton/h

SC260

Dimensions


Length: 12' 8"

Height: 3' 5"

Width: 8' 3"

Output potential

280 US ton/h

An aerial photograph showing a dark asphalt road with white dashed lines on the right side, bordered by a dense forest of green trees on the left. The image is used as a background for the advertisement.

**CREATING SUSTAINABLE TECHNOLOGIES
TO GIVE RECLAIMED ASPHALT A SECOND LIFE**

CAMSAMERICA

CAMSAMERICA, Corp.

45 Main Street, Unit 628, Brooklyn, NY 11201

Mobile Phone: +1-929-570-8437 | +1-929-570-8431

e-mail: info@camsrecycling.com | web: camsrecycling.com